

7 and 9 Series Industrial Grade Hand Lamps

Jobsite Lighting



Standard Features:

- cETLus listed for U.S. and Canada
- 120 and 12-Volt options
- Use with a variety of LED, CFL or Incandescent Lamp
- Styles Color, Lumen Output and Wattages
- Molded flexible rubber handle impervious to impact and resistant to work site chemicals
- Optional switch is available
- Attached and Molded Heavy Duty N5-15 Plug (9-series)
- Accommodates cord sizes up to 14/3 SOW
- Product customizations are available upon request
- Wide selection of pre-wired hand lamps and replacement parts


Market Applications:

- Construction
- Emergency Lighting
- Ship Building and Repair
- Petrochemical
- Food and Beverage
- Tent Lighting
- Aerospace
- Utility Maintenance
- Defense and Safety
- Power Generation



Product Options:

- Optional on/off switch
- Several Lamp Guards and Renewal Parts Available



9 series available
with N5-15 Outlet



Supports several
Lamp Styles



Rugged hook & reflector
for demanding applications



Convenient
Switch Available

7 Style Handle



- Molded plug end
- Ground tab for wire guards
- Just add guard

9 Style Handle



- Receptacle in handle
- Molded cord plug
- Ground tab for wire guards
- Just add guard

7-Series Selection Guide:

Part Number	Cord Length	Cord Type	Primary Plug	Bulb Type*	Guard Type	Handle Receptacle	On/Off Switch
7-A25	25 ft.	16/3 SOOW	NEMA 5-15	None	104-R	No	No
7-A50	50 ft.	16/3 SOOW	NEMA 5-15	None	104-R	No	No
7-SA25	25 ft.	16/3 SOOW	NEMA 5-15	None	104-R	No	Yes
7-SA50	50 ft.	16/3 SOOW	NEMA 5-15	None	104-R	No	Yes

9-Series Selection Guide:

Part Number	Cord Length	Cord Type	Primary Plug	Bulb Type*	Guard Type	Handle Receptacle	On/Off Switch
9425-R	25 ft.	16/3 SOOW	NEMA 5-15	None	104-R	Yes	No
9450-R	50 ft.	16/3 SOOW	NEMA 5-15	None	104-R	Yes	No
9425-RS	25 ft.	16/3 SOOW	NEMA 5-15	None	104-R	Yes	Yes
9450-RS	50 ft.	16/3 SOOW	NEMA 5-15	None	104-R	Yes	Yes

*Bulbs are not included with hand lamps

Lamp Guards for 7 and 9 Handlamps:

Closed End Wire Guards			
No Reflector			
	104		104-I
With Reflector		104-R	
Max Wattage	100W		

Replacement Parts:

7 Series Handles		9 Series Handles		Socket, Ground Clip & Switch for use with 7 and 9 Series Handles		
						
No Switch	With Switch	No Switch with Receptacle	With Switch with Receptacle	Socket with 6" leads	Grounded Clip with Lead	Switch with Weather Boot
Handle Only						
7	7-S	9	9-S	44W	710	79
Handle Assembly (with socket & ground clip)						
7-A	7-SA	9-A	9-SA			

Related Products:



HL Series of LED Handlamps



70-N Designed for Vapor Tight Applications



2600 Series String Light Class 1, Div 1